



# Anaphylaxis Management Policy for MACS Schools

## 1. Introduction

Melbourne Archdiocese Catholic Schools Ltd (**MACS**) is a company limited by guarantee established in 2021 by the Archbishop of the Catholic Archdiocese of Melbourne to assume the governance and operation of MACS schools across the Archdiocese of Melbourne. MACS subsequently established Melbourne Archdiocese Catholic Specialist Schools Ltd (**MACSS**) to provide educational services to children with diverse needs and Melbourne Archdiocese Catholic Schools Early Years Education (**MACSEYE**) to provide early years care and education services.

The [Statement of Mission](#) in the MACS Constitution, and the constitutions of its subsidiaries, MACSS and MACSEYE, sets out the Archbishop's expectations of Catholic schooling in the Archdiocese and provides an important context and grounding for the company and the direction which the MACS Board must always observe in the pursuit of the company's objects.

The Board must ensure that all policies and procedures concerning the operations of MACS, and its subsidiaries are consistent with the Statement of Mission and company objects, as well as any directions issued by the Archbishop from time to time.

## 2. Purpose

This policy supports MACS schools to provide, as far as practicable, safe and supportive environments in which students at risk of anaphylaxis receive reasonable adjustments that enable them to participate fully in school programs and activities.

## 3. Scope

This policy applies to the following people in MACS schools, including specialist schools operated by MACSS and school boarding premises operated by MACS schools:

- staff, including volunteers and casual relief staff (**staff**)
- students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the school has been notified of that diagnosis
- parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

## 4. Principles

The following principles underpin this policy:

- MACS seeks to ensure the safety and wellbeing of all students whilst at school.
- The principal and all staff work with parents and carers to ensure, as far as practicable, that the needs of children at risk of anaphylaxis will be considered, mitigated and minimised during school activities.
- The principal and all staff take reasonable steps to reduce and manage risks to students with anaphylaxis in the school environment and at school-approved activities.
- The principal, at all times, ensures the school complies with *Ministerial Order 706: Anaphylaxis Management in Victorian Schools and School Boarding Premises* and the associated *Anaphylaxis Guidelines* as published and amended by the Department of Education from time to time.

## 5. Ministerial Order 706 – School requirements

The principal, at all times, has the overall responsibility to comply and implement the requirements of [Ministerial Order 706: Anaphylaxis Management in Victorian Schools and School Boarding Premises](#) (MO 706) the associated [Anaphylaxis Guidelines](#) as published and amended by the Department of Education (DE) from time to time to support the implementation of MO 706. While the principal may allocate tasks under MO 706 to other staff, such as an assistant principal or other appropriate school staff members, as outlined in this policy, the principal retains final oversight of all obligations under MO 706.

All schools are required to have a school Anaphylaxis Management Policy when they have an enrolled student who has been diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction, covering certain matters set out in MO 706. MACS schools are to use the *Anaphylaxis Management Policy – Template for Schools* contextualise and implement to meet their obligations.

MACS schools require the active engagement of parents and carers to provide up-to-date Australasian Society of Clinical Immunology and Allergy (ASCIA) Action Plan for Anaphylaxis (RED) (that comply with MO 706) for every student diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction.

## 6. Individual Anaphylaxis Management Plan and ASCIA Action Plan for Anaphylaxis (RED)

### 6.1. Individual Anaphylaxis Management Plan (IAMP)

The principal is responsible for ensuring that every student at the school diagnosed with a medical condition that relates to allergy and the potential for anaphylactic reaction has an Individual Anaphylaxis Management Plan (IAMP) developed using the approved MACS template. The IAMP must be in place as soon as practicable after the student enrolls at the school, and where possible before the student's first day of attendance at that school.

The IAMP must be completed by the school in consultation with the student's parents and carers and include:

- information about the medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergy or allergies the student has (based on a written diagnosis from a medical practitioner)
- strategies that will be implemented by the school to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of school staff or school boarding premises staff, for settings in and out of school or the school boarding premises, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school or school boarding premises
- whether the student can self-administer their medication
- the name of the person/s responsible for implementing the risk minimisation/prevention strategies
- information on where the student's medication will be stored
- the student's emergency contact details
- a copy of the action plan for anaphylaxis in an ASCIA-approved Action Plan for Anaphylaxis (RED) template completed and signed by a medical practitioner provided by the parents and carers.

### Reviewing the IAMP

The principal is responsible for ensuring that the IAMP is reviewed in consultation with the student's parents and carers in all the following circumstances:

- annually
- if the student's medical condition changes as it relates to allergy and the potential for anaphylactic reaction

- as soon as is practicable after a student has an anaphylactic reaction at school or at the school boarding premises
- when the student is to participate in an off-site activity such as camps and excursions, or at special events conducted, organised or attended by the school or the school boarding premises (e.g. class parties, elective subjects, cultural days, fetes, incursions).

## 6.2. ASCIA Action Plan for Anaphylaxis (RED)

The principal is responsible for ensuring that a copy of the signed ASCIA Action Plan for Anaphylaxis (RED) is held by the school for every student diagnosed with a medical condition related to allergy and at risk of anaphylactic reaction. This plan must be provided by the parents and carers and retained by the school.

Each ASCIA Action Plan for Anaphylaxis (RED) must:

- outline the student’s severe allergies and the steps to take in the event of an anaphylactic reaction
- include designated fields for medical information and a current photograph, which must be completed by the student’s medical practitioner or nurse practitioner. As a formal medical document, these sections cannot be completed by parents, carers or school staff
- be updated according to the review date specified by the student’s doctor or nurse practitioner, identified on the current plan. If there is no change in the student’s allergy, the plan should be updated by the date specified by the student’s medical practitioner or nurse practitioner on the current plan. This typically occurs every 12 to 18 months, in line with the student’s medical review and renewal of their adrenaline prescription.

## 6.3. Parents and carers responsibilities

The principal is responsible for working collaboratively with parents and carers to ensure they understand and fulfil their responsibilities to:

- provide the school with a copy of their child’s current ASCIA Action Plan for Anaphylaxis (RED) signed by the student’s medical practitioner or nurse practitioner and:
  - include an up-to-date photo of their child for the ASCIA Action Plan for Anaphylaxis (RED) when that plan is provided to the school or provider of school boarding services and when it is reviewed
  - promptly inform the school in writing of any changes to their child’s allergy-related medical condition and, where applicable, provide an updated ASCIA Action Plan for Anaphylaxis (RED) with an updated photo whenever the plan is reviewed. The principal is responsible for ensuring that updated documentation or medication is obtained from parents and carers as required, in accordance with the school’s Communication plan (as outlined at (12))
- supply the school with an adrenaline device that is current and not expired for their child and replace the prescribed medication and/or adrenaline device before its expiry date
- participate in a Program Support Group (PSG) meeting at least annually, or as required, to review and update the child’s IAMP based on medical advice
- provide an [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) prepared by a registered medical practitioner, as well as an [ASCIA Action Plan for Anaphylaxis \(RED\)](#), when the student is attending a school-related excursion, camp or travel involving an aeroplane.

**Table 1: Summary of documentation and medication required for anaphylaxis management**

Document or equipment	Who provides/ creates it?	Who signs it?	When?
ASCIA Action Plan for Anaphylaxis (RED) along with updated photo	Parents and carers	Doctor, Nurse Practitioner	At diagnosis, by the date specified on the student’s ASCIA plan – in line with the student’s medical review annually, before excursions and camps, as required.

Document or equipment	Who provides/ creates it?	Who signs it?	When?
Individual Anaphylaxis Management Plan (IAMP)	School	Principal/principal nominee, parents and carers	At diagnosis, annually, before a school-related excursion, camp or travel and if the student has an anaphylactic reaction at school.
Medication (EpiPen®, Anapen®, etc.)	Parents and carers	N/A, as prescribed in the ASCIA Action Plan for Anaphylaxis (RED)	At diagnosis, at the time of use or before expiry date (usually within 12–18 months).
ASCIA Travel Plan for People at Risk of Anaphylaxis	Parents and carers	Doctor, Nurse Practitioner	Before going on a school-related excursion, camp or travel involving an aeroplane.

## 7. Anaphylaxis and Allergy Register

The principal is responsible for assigning responsibility to a member of staff to maintain an up-to-date register of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction and is responsible for sharing this with all staff and accessible to all staff in an emergency.

## 8. Location of IAMPs, ASCIA Action Plans for Anaphylaxis (RED) and Adrenaline Autoinjectors for General Use

The principal is responsible for ensuring that:

- all school staff are informed of the location of student IAMPs and ASCIA Action Plans for Anaphylaxis (RED) during normal school activities including in the classroom, the school yard, all school buildings and sites including gymnasiums and halls
- this information is accessible during excursions, camps and any special events conducted, organised or attended by the school
- if a student is participating in domestic or overseas travel, the [ASCIA Travel Plan for People at Risk of Anaphylaxis](#) is completed by a registered medical practitioner.

### 8.1. Location, storage and accessibility of adrenaline autoinjectors

The principal is responsible for ensuring that:

- a sufficient supply of adrenaline autoinjectors for general use are purchased at the expense of the school, no prescription is necessary
- the adrenaline autoinjectors for general use are stored in multiple, clearly labelled locations around the school, including the sick bay or first aid room, and portable first aid kits, as required
- adrenaline autoinjectors for general use are replaced immediately after use or upon expiry; whichever occurs first. (Expiry dates are usually within 12–18 months).

The principal is responsible for determining whether adrenaline autoinjectors for general use should be used as a back-up to those supplied by parents and carers for individual students. These adrenaline autoinjectors may also be required in an emergency for a student who has not previously been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction.

### 8.2. Determining minimum adrenaline autoinjector requirements

The principal is responsible for determining the number and type of adrenaline autoinjectors for general use required by the school. In making this decision, the principal will consider:

- the number of students enrolled at the school who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for

anaphylactic reaction, where the school has been notified of that diagnosis, and the type and accessibility of the adrenaline device supplied by parents and carers for each student

- the number of and location of storage points across the school, including the school yard
- the frequency and nature of school-approved off-site activities, such as excursions, camps and special events
- the expiry period of the different brands of adrenaline autoinjectors for general use (usually 12–18 months)
- the type and brand of adrenaline autoinjectors for general use, considering:
  - available brands in Australia registered with the Therapeutic Goods Administration (TGA) (EpiPen®, EpiPen Jr®, Anapen 500®, Anapen 300®, Anapen Jr®, Jext® and Neffy® (nasal spray)). All devices can be used when provided by parents and carers for students, however, the principal can only purchase EpiPen®, Anapen® or Jext® autoinjectors for general use
  - types suitable for emergency use
  - brands that are widely accessible and do not require a prescription.

### 8.3. Storage requirements

The principal is responsible for ensuring that adrenaline autoinjectors for general use purchased by the school and adrenaline devices supplied by parents and carers are stored in a cool dark place at room temperature, which is defined as between 15 and 25 degrees Celsius. If these temperatures cannot be maintained, ASCIA recommends storing the device in an insulated wallet. Students who have been approved to self-administer, may choose to keep their prescribed adrenaline device on them.

The School Anaphylaxis Supervisors are responsible for ensuring that all school staff are familiar with the locations, storage and accessibility of adrenaline devices in the school, including those purchased for general use.

### 8.4. When to use an adrenaline autoinjector for general use

The principal is responsible for ensuring that adrenaline autoinjectors for general use will be used under the following circumstances:

- a student's prescribed adrenaline device does not work, is misplaced, misfires, has accidentally been discharged, is out of date or has already been used
- a student previously diagnosed with a mild or moderate allergy who was not prescribed an adrenaline device has their first episode of anaphylaxis
- when instructed by a medical officer after calling 000
- first time reaction to be treated with adrenaline before calling.

The principal is responsible for ensuring that where school staff are in doubt, the student will be given the adrenaline device as per the ASCIA Action Plan for Anaphylaxis (RED) and in alignment with the [ASCIA First Aid Plan for Anaphylaxis](#).

### 8.5. Self-administration

The principal is responsible for ensuring that a decision about whether a student may carry their own adrenaline device is made during the development of the student's IAMP, in consultation with the student, the parents and carers and the student's medical practitioner or nurse practitioner.

Students who are usually capable of self-administering their adrenaline device may be unable to do so during a severe reaction. In such circumstances, school staff must administer the adrenaline device as part of their duty of care.

If a student self-administers an adrenaline device:

- one member of school staff should supervise and monitor the student at all times

- another member of school staff should immediately contact an ambulance (000).

If a student carries their own adrenaline device, it is recommended that a second adrenaline device (supplied by parents and carers) is kept in an easily accessible, unlocked location known to all school staff.

## 9. Staff training

The principal is responsible for ensuring that:

- reasonable steps are taken to ensure that all school staff have adequate knowledge and training about allergies, anaphylaxis and the school's expectations in responding to an anaphylactic reaction
- all school staff successfully complete an anaphylaxis management training course (either online in the last two years or face-to-face in the last three years) if they:
  - conduct classes attended by students with a medical condition relating to allergy and the potential for anaphylactic reaction, or
  - are specifically identified and requested to do so by the principal, based on the principal's assessment of the risk of an anaphylactic reaction occurring while a student is under that staff member's care, authority or supervision. For example, those teaching health and physical education, attending school camps or who are new to the school that require training
- volunteers and regular casual relief teachers (CRT) receive appropriate anaphylaxis training during induction sessions, when any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, where the school has been notified of that diagnosis, enrol in the school, or when the IAMP for current students are changed. CRTs who are not regular at the school are informed about any at risk students attending their classes or as relevant to the duties assigned to the CRT. This includes informing them of the location of the IAMPs and adrenaline devices both student-supplied and those purchased by the school for general use throughout the school
- staff training takes place as soon as practicable after a student at risk of anaphylaxis enrolls and, where possible, before the student's first day at school
- all staff participate in twice yearly anaphylaxis management staff briefings including information set out by the DE for use in Victorian schools, with one briefing at the commencement of the school year
- where the school has been notified and if for any reason the staff training and the required briefing have not yet occurred, the principal is responsible for ensuring that an interim plan is developed, in consultation with parents and carers, of any student who has been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction, and training must occur as soon as possible thereafter. When preparing the interim plan, the principal will also consider consulting the School Anaphylaxis Supervisor, the school nurse (if applicable) and the student's treating medical practitioner.

### 9.1. Staff training options

The principal is responsible for ensuring that relevant staff have access to training and may choose from the following two options:

- **Option 1:** [ASCIA Anaphylaxis e-training course Victorian Schools](#) – this is a free course for all Victorian school staff (and the general public) and is delivered online. It is developed specifically for Victorian school staff to increase the quality of course delivery and consistency of training so all school staff are trained in the same way. Relevant staff must:
  - complete this course every two years
  - have a School Anaphylaxis Supervisor verify their competency in the correct use of adrenaline autoinjectors (Epipen and Anapen) in line with the Anaphylaxis Management School Training Checklist, within 30 days of successfully completing this course
  - have the ASCIA certificate signed by a School Anaphylaxis Supervisor to confirm the staff member has also demonstrated proficiency in using an adrenaline autoinjector device.

- **Option 2:** Face-to-face anaphylaxis management course – *Course in First Aid Management of Anaphylaxis 22578VIC* provided by any Registered Training Organisation may be completed every three years by school staff as determined by the principal.

## 9.2. Twice yearly staff briefings

The principal is responsible for ensuring that School Anaphylaxis Supervisors or another staff member who has successfully completed an anaphylaxis management training course referred to in MO706 in the two years prior, lead all staff in twice yearly staff briefings on anaphylaxis management, with one held at the start of the school year. The school should use the Anaphylaxis management briefing presentation template, including the facilitator guide and presentation for briefings on the DE website: [Resources page](#). The staff briefings will include information on:

- the school's Anaphylaxis Management Policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students, where the school has been notified, who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction and the location of their IAMP and their medication/s
- how to use an adrenaline autoinjector, including hands-on practice with an adrenaline autoinjector trainer device (which does not contain adrenaline)
- the school's general first aid and emergency procedures
- the location of and access to the adrenaline devices prescribed for individual students that have been purchased by their family
- the location of and access to the adrenaline autoinjectors that the school has purchased for general use
- information on staff anaphylaxis training and renewal requirements and how to access ongoing support and training.

The principal is responsible for establishing clear expectations regarding anaphylaxis training requirements, the processes for completing training and the systems for maintaining training records, including assigning responsibility for record-keeping.

## 9.3. School Anaphylaxis Supervisors

The principal is responsible for ensuring that each school campus appoints two staff members to perform the role of School Anaphylaxis Supervisors. These supervisors are authorised to sign ASCIA certificates for staff within their campus/school.

### Eligibility requirements

To be eligible for the role, staff must hold and maintain the following certifications:

- [ASCIA anaphylaxis e-training course](#), completed every 2 years
- *Course in Verifying the Correct Use of Adrenaline Injector Devices 22579VIC*, completed every 3 years (provided by Hero)
  - staff must also have completed the ASCIA e-training course within the previous 12 months before enrolling
- *First Aid Management of Anaphylaxis 22578VIC*, completed every 3 years (provided by Hero).

### Device specific training requirements

On 1 September 2021, the Anapen® adrenaline (epinephrine) autoinjector was introduced into Australia for the treatment of anaphylaxis. School Anaphylaxis Supervisors must complete the Anapen® workshop when the school has a student enrolled with an [ASCIA Action Plan for Anaphylaxis Red Anapen](#).

On 24 January 2026, the DE announced two additional adrenaline devices approved for emergency anaphylaxis treatment, both registered with the TGA and available in Australia from 2026:

- Neffy® adrenaline nasal spray

- Jext® adrenaline injector.

School Anaphylaxis Supervisors are required to complete an online workshop on the Neffy® or Jext® devices if:

- their current *Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC)* certificate has more than six months remaining before renewal; or
- the school has a student with an ASCIA Action Plan for Anaphylaxis (RED) specifying Neffy® or Jext® and the School Anaphylaxis Supervisor has not previously been trained in these devices.

School Anaphylaxis Supervisors who complete the *Course in Verifying the Correct Use of Adrenaline Injector Devices (22579VIC)* on or after the first day of Term 1, 2026 are not required to undertake the online workshop, as the updated course includes training specifying Neffy® and Jext®.

## Responsibilities

School Anaphylaxis Supervisors are responsible for:

- providing evidence of completed training to the principal or nominated staff member
- assessing and confirming correct use of adrenaline autoinjector (trainer) devices by staff completing ASCIA e-training
- sending reminders to staff and inform new staff about anaphylaxis training requirements
- liaising with the principal or the nominated staff member to ensure training records are maintained
- providing access to adrenaline autoinjector (trainer) devices for staff practice
- offering advice and guidance to staff on allergy and anaphylaxis management, as needed
- collaborating with parents and carers (and students where appropriate) to implement IAMPs
- where possible, lead the school's twice-yearly anaphylaxis briefing.

**Table 2: Summary of training requirements**

Who	Training requirements	Additional requirements
Relevant school staff nominated by the principal	<ul style="list-style-type: none"> <li>• Option 1: ASCIA e-training course every two years</li> <li>OR</li> <li>• Option 2: Face to face anaphylaxis management course every three years</li> <li>AND</li> <li>• Anaphylaxis management staff briefings twice yearly</li> </ul>	For Option 1 only: School Anaphylaxis Supervisor must evaluate an individual's competency in administering an adrenaline autoinjector within 30 days of successful course completion.
School staff with a student with anaphylaxis in their class or as deemed required by the principal	<ul style="list-style-type: none"> <li>• Option 1: ASCIA e-training course every two years</li> <li>OR</li> <li>• Option 2: Face to face anaphylaxis management course every three years</li> <li>AND</li> <li>• Anaphylaxis management staff briefings twice yearly</li> </ul>	For Option 1 only: School Anaphylaxis Supervisor must evaluate an individual's competency in administering an adrenaline autoinjector within 30 days of successful course completion.
All school staff, including casual staff and volunteers	<ul style="list-style-type: none"> <li>• Anaphylaxis management staff briefings twice yearly</li> </ul>	
School Anaphylaxis Supervisor/s	<ul style="list-style-type: none"> <li>• ASCIA e-training course</li> <li>• Verifying the correct use of adrenaline injector devices 22579VIC</li> </ul>	<ul style="list-style-type: none"> <li>• Minimum of two supervisors per school campus.</li> <li>• Must sign ASCIA certificates for staff.</li> </ul>

Who	Training requirements	Additional requirements
	<ul style="list-style-type: none"> <li>• First aid management of anaphylaxis 22578VIC</li> <li>• Anapen® (epinephrine) adrenaline autoinjector workshop (if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis Red Anapen)</li> <li>• Online workshop on Neffy® adrenaline nasal spray and/or Jext® adrenaline injector if there is a student enrolled with an ASCIA Action Plan for Anaphylaxis (RED) specifying the use of a Neffy® or Jext® device (if previous training has not been completed)</li> </ul>	<ul style="list-style-type: none"> <li>• Lead twice-yearly staff briefings.</li> </ul>

## 10. Risk minimisation and prevention strategies

The principal is responsible for ensuring that the [Risk Minimisation Strategies for MACS Schools](#) are followed to ensure that:

- risk minimisation and prevention strategies used by the school to prevent the risk of anaphylactic reaction are implemented across all relevant in-school and outside of school settings
- the strategies aim to reduce the risk of a student experiencing anaphylactic reaction
- a sufficient number of school staff are present and trained in accordance with the MO 706 (refer to Staff training as outlined at (9)) whenever a student at risk of an anaphylactic reaction is under the school's care or supervision outside normal class activities. This includes the school yard, camps and excursions, special events conducted, organised or attended by the school
- all staff are regularly reminded of their duty of care to take reasonable steps to protect students from reasonably foreseeable risks of injury, and understand that developing and implementing appropriate risk minimisation strategies to prevent incidents of anaphylaxis is an important step of fulfilling this duty of care
- all school staff, parents and carers, students and the wider school community understand that risk minimisation is a whole-school responsibility.

The principal is responsible for ensuring risk minimisation in school-specific settings, including but not limited to:

- classroom activities (including class rotations, specialist and elective classes)
- transitions between classes and breaks
- canteens
- recess and lunchtimes
- before and after school where supervision is provided
- special events including incursions, sports, cultural days, fetes or class parties, excursions and camps.

For risk minimisation in school specific settings, the principal should refer to: [Best practice guidelines for anaphylaxis prevention and management in schools \(Allergy Aware\)](#) and [Risk Minimisation Strategies \(Allergy & Anaphylaxis Australia\)](#).

The principal is responsible for ensuring that regular reviews are undertaken of the school's risk minimisation strategies outlined in the template [Risk Minimisation Strategies for Schools](#) considering information provided by parents and carers related to the risk of anaphylaxis.

### 10.1. Annual Anaphylaxis Risk Management Checklist for Schools

The principal is responsible for ensuring that:

- the [Annual Anaphylaxis Risk Management Checklist for Schools](#) (DE template) is completed at the start of each year to monitor the school's compliance with MO 706 and any updates as published by the DE, MACS and the Victorian Catholic Education Authority (VCEA)
- the *Off-site Risk Management Checklist for Schools* is completed when determining requirements for activities such as excursions, camps and travel.

## 11. Emergency response to anaphylactic reaction

The principal is responsible for ensuring that:

- the school has clear and comprehensive first aid and emergency response processes in place that allows staff to react quickly if anaphylactic reaction occurs, for both in-school and outside of school settings
- there are sufficient trained staff present in accordance with MO 706 whenever students at risk are under the school's care
- regular drills are conducted to test the effectiveness of these processes.

The principal is responsible for determining how appropriate communication with school staff, students, parents and carers, and the wider school community will occur in the event of an emergency about anaphylaxis. This includes ensuring the understanding that anaphylaxis is the most severe type of allergic reaction and should always be treated as a medical emergency. Anaphylaxis requires immediate treatment with adrenaline (epinephrine). If treatment with adrenaline is delayed, this can result in fatal anaphylaxis.

The principal is responsible for predominantly displaying copies of the [ASCIA First Aid Plan for Anaphylaxis](#) and [Emergency Response to Anaphylactic Reaction](#) in relevant locations, for example, first aid room, classrooms and in/around other school facilities, including the canteen.

### 11.1. Display of general and emergency plans

The principal is responsible for ensuring that the school's Anaphylaxis Management Policy clearly outlines how it integrates with the school's general first aid and emergency response procedures. This includes:

- storing and displaying completed ASCIA Action Plans for Anaphylaxis (RED) and IAMPs in ways that allow staff to quickly and easily access them
- storing and posting the First Aid Plan for Anaphylaxis and the Emergency Response to Anaphylactic Reaction alongside general-use adrenaline autoinjectors in all designated locations
- embedding anaphylaxis-specific steps into the school's general emergency response plan
- ensuring emergency drills include scenarios for anaphylaxis
- keeping general-use adrenaline autoinjectors stored with first aid kits and emergency response posters
- aligning incident reporting with the school's existing first aid and critical incident reporting
- displaying emergency procedures for anaphylaxis around the school for reference.

### 11.2. Responding to an incident

In the event of an anaphylactic reaction, staff must follow:

- student's ASCIA Action Plan for Anaphylaxis (RED)
- [ASCIA First Aid Plan for Anaphylaxis](#)
- [Emergency Response to Anaphylactic Reaction](#) and
- the school's general first aid procedures.

#### **In all situations**

1. If safe to do so, lay the person flat, do not allow patient to stand or walk.

2. If breathing is difficult allow patient to sit
  - Be calm, reassuring
  - Do not leave them alone
  - Seek assistance from another staff member or reliable student to locate the student's supplied adrenaline device or an adrenaline autoinjector for general use, and the student's IAMP with their ASCIA Action Plan for Anaphylaxis (RED).
3. Administer prescribed adrenaline device – note the time given and retain the used adrenaline device to give ambulance paramedics.
4. Phone ambulance 000 (112 – mobile).
5. If there is no improvement or severe symptoms progress, further adrenaline doses may be given every five minutes (if another adrenaline autoinjector is available).
6. Phone emergency contact.

#### **If in doubt, give an adrenaline autoinjector**

If the student has not been previously diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction but appears to be having a severe allergic reaction, follow Steps 2–6 above.

#### **Immediate actions:**

- A staff member will remain with the student at all times.
- The student will be laid flat. They will not be allowed to stand or walk. If breathing is difficult, the student will be allowed to sit with their legs outstretched.
- Another staff member will immediately locate the student's adrenaline device and the student's ASCIA Action Plan for Anaphylaxis (RED).
- The adrenaline device will be administered following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED). Where possible, only school staff with training in the administration of an adrenaline autoinjector will administer the student's adrenaline device. However, it is imperative that an adrenaline device is administered as soon as signs of anaphylaxis are recognised. If required, the adrenaline device will be administered by any person following the instructions in the student's ASCIA Action Plan for Anaphylaxis (RED).
- The student will not stand or be moved unless they are in further danger (for example, the anaphylactic reaction was caused by a bee sting and the beehive is close by). The ambulance should transport the student by stretcher to the ambulance, even if symptoms appear to have improved or resolved. The student must be taken to the ambulance on a stretcher if adrenaline has been administered.

### **11.3. Post-incident reporting**

The administration of first aid to students from an anaphylactic incident or illness must be recorded, including all actions taken in the provision of care. This information can be recorded on the school's preferred first aid platform, accident/incident register or, depending on the severity of the incident, reported via the [MACS Guard Incident Reporting page](#) as soon as reasonably practicable, in accordance with the Emergency and Critical Incident Management Procedures. The accident/incident register must be maintained.

### **11.4. Post-incident review**

The principal is responsible for ensuring that a copy of the first aid and/or incident report is provided to parents and carers of the student.

After an anaphylactic reaction has taken place that has involved a student in the school's care and supervision, the principal is responsible for ensuring that the following review processes take place:

- The adrenaline device must be replaced by the parents and carers as soon as possible. In the meantime, the principal or nominated staff member will ensure that there is an interim IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline device being supplied by the parents and carers.
- If the adrenaline autoinjector for general use has been used this should be replaced as soon as possible. In the meantime, the principal or nominated staff member will ensure that there is an IAMP in place should another anaphylactic reaction occur prior to the replacement adrenaline autoinjector for general use being provided.
- The student's IAMP will be reviewed in consultation with the student's parents and carers.
- The school's Anaphylaxis Management Policy will be reviewed to ascertain whether there are any issues requiring clarification or modification in the policy, therefore supporting the school to meet its ongoing duty of care to students.

## 12. Communication plan

In addition to the information in this policy, the principal is responsible for ensuring that a Medical Management Communication Plan is developed, regularly communicated and implemented to provide information for staff, students, parents and carers. The plan must:

- provide clear information to all school staff, students, parents and carers about anaphylaxis, the school's Anaphylaxis Management Policy, strategies for advising school staff and students about how to respond to an anaphylactic reaction of a student in various environments
- outline communication processes with parents and carers for obtaining current and updated medical documentation and medication
- establish specific practices to support staff awareness, including twice yearly staff briefings, regular briefings and induction processes for new staff, volunteers, CRTs, etc.
- identify actions to promote student awareness appropriate to age and development level.

### 12.1. Working collaboratively with parents and carers

The principal is responsible for working collaboratively with parents and carers of students who have been diagnosed by a medical practitioner as having a medical condition that relates to allergy and the potential for anaphylactic reaction to ensure each student's needs are understood and supported. This includes:

- developing a clear process for requesting new or updated medical documentation and/or medication as part of annual or triggered reviews
- ensuring all communication is accessible, culturally appropriate and respectful of families.

### 12.2. Information to staff, parents and carers

The Communication Plan must include strategies for advising school staff, students, parents and carers about how to respond to an anaphylaxis reaction of a student in various environments:

- during normal school activities, including in a classroom, in the school yard, in all school buildings and facilities such as gymnasiums and halls
- during off-site or out of school activities, including on excursions, camps, during travel and at special events conducted, organised or attended by the school
- training that staff in the school have received.

The principal develops a communication process for when new or updated medical documentation and/or medication is required as part of annual or triggered reviews. School staff engaged in this ensure that communication is accessible and culturally appropriate.

Staff will develop open, cooperative relationships with parents and carers to decide how information will be shared, requesting and updating medical information.

The school's policy is published on the school's website.

## 12.3. Anaphylaxis Advisory line

For further advice and support on MO 706, principals and school representatives, MACS school and office staff, and parents and carers can contact the Royal Children's Hospital Anaphylaxis Advice & Support Line via phone on **1300 725 911** or **9345 4235** or email [anaphylaxisadvice@rch.org.au](mailto:anaphylaxisadvice@rch.org.au)

## 13. Roles and reporting responsibilities

Role	Responsibility	Reporting requirement
Principal	Maintain a register of students at risk of anaphylactic reaction.	Annual Attestation
Principal	Ensure adequate adrenaline autoinjectors for general use are purchased and available in the school, and that these are replaced at time of use or expiry, whichever is first.	Annual Attestation
Principal	Ensure twice yearly briefings on anaphylaxis management are conducted with one briefing at the start of the school year.	Annual Attestation
Principal	Ensure staff have completed appropriate training and that adequate staff trained in anaphylaxis management are available for all school activities including off site activities and school approved activities outside school hours.	Annual Attestation
Principal	Ensure a communication plan is developed to provide information to all staff, students, parents and carers about this policy and the school's procedure for anaphylaxis management.	Annual Attestation
Principal	Ensure this policy is published and available to the school community.	Annual Attestation
Anaphylaxis Supervisor or other staff member who has completed Anaphylaxis Management course successfully in past two years	Conduct twice yearly briefings for all staff on anaphylaxis management with one briefing at the commencement of the school year, using the briefing template provided by the DE for use in schools, including verbal briefings for casual staff and volunteers.	Annual Attestation

## 14. Definitions

Definitions of standard terms used in this Policy can be found in the [MACS Glossary of Terms](#).

### Adrenaline autoinjector device

An adrenaline autoinjector device, approved for use by the Commonwealth Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300 or Anapen® 500.

### Adrenaline autoinjector for general use

A 'backup' or 'unassigned' adrenaline autoinjector purchased by a school. These can be EpiPen®, EpiPen® Jr, Jext® Jr 150, Jext® 300, or Anapen® 500.

### Adrenaline device

An adrenaline device, approved for use by the Commonwealth Government Therapeutic Goods Administration, which can be used to administer a single pre-measured dose of adrenaline to those experiencing a severe allergic reaction (anaphylaxis). These may include EpiPen®, EpiPen® Jr, Anapen® 500, Jext® Jr 150, Jext® 300, Neffy® 1 mg and Neffy® 2 mg.

## **Anaphylaxis**

Anaphylaxis is a severe, rapidly progressive allergic reaction that is potentially life threatening. The most common allergens in school aged children are peanuts, eggs, tree nuts (e.g. cashews), cow's milk, fish and shellfish, wheat, soy, sesame, lupin and certain insect stings (particularly bee stings).

### **Anaphylaxis Guidelines (Guidelines)**

A resource for managing severe allergies in Victorian schools, published by the Department of Education (DE) for use by all schools in Victoria and updated from time to time.

### **Australasian Society of Clinical Immunology and Allergy (ASCIA)**

The peak professional body of clinical immunology and allergy in Australia and New Zealand.

### **EpiPen®, Anapen® and Jext®**

Autoinjectable devices that deliver the drug adrenaline (epinephrine). They are used when someone is experiencing a severe allergic reaction

### **Neffy®**

A nasal spray adrenaline device that delivers the drug adrenaline (epinephrine). It is used when someone is experiencing a severe allergic reaction.

### **Registered medical/health practitioner**

A person registered under Australian Health Practitioner Registration Agency (AHPRA) and relevant state/national board for their health profession, whether the registration of that person is general, specific, provisional, interim or non-practising but does not include a registered student.

### **School approved activities**

Any academic, sporting, social or other activities for which students' attendance or participation is authorised or organised by the school.

### **School environment**

Means any of the following physical, online or virtual places used during or outside school hours:

- a campus of the school
- online or virtual school environments made available or authorised by MACS or a MACS school for use by a child or student (including email, intranet systems, software, applications, collaboration tools and online services)
- other locations provided by the school or through a third-party provider for a child or student to use including, but not limited to, locations used for camps, approved homestay accommodation, delivery of education and training, sporting events, excursions, competitions and other events (Ministerial Order No. 1359).

## **15. Related policies and documents**

### **Supporting documents**

Anaphylaxis Management Policy – Template for Schools  
Anaphylaxis Risk Management Checklist for Off-site Activities – Template for Schools  
Annual Anaphylaxis Risk Management Checklist – Template for Schools  
Anaphylaxis Risk Minimisation Strategies for Schools – Template for Schools  
Emergency Response to Anaphylactic Reaction – Sample – Template for Schools  
Individual Anaphylaxis Management Plan – Template for Schools  
Risk Minimisation Strategies for Schools – Template for Schools

### **Related MACS policies and documents**

Administration of Medication Policy  
Duty of Care Policy  
Emergency Management Plan  
First Aid Policy

## Resources

[Department of Education Victoria Anaphylaxis Guidelines](#)

[Department of Education Victoria Anaphylaxis Management Briefing presentation](#)

[Department of Education Victoria Facilitator guide for anaphylaxis management briefing](#)

[ASCIA Action Plans for Anaphylaxis \(RED\) and First Aid Plans for Anaphylaxis or Allergies](#)

[ASCIA Travel Plan](#)

[ASCIA Anaphylaxis e-training for Victorian schools](#)

[ASCIA Adrenaline \(Epinephrine\) Injectors for General Use](#)

[Royal Children's Hospital Anaphylaxis Advisory Support line](#)

## 16. Legislation and standards

*Education and Training Reform Act 2006 (Vic)*

Ministerial Order 706

## Policy information

<b>Responsible executive</b>	Director, Education Excellence
<b>Policy owner</b>	Chief of Student Services
<b>Approving authority</b>	Executive Director
<b>Assigned board committee</b>	Child Safety and Risk Management
<b>Approval date</b>	25 March 2026
<b>Risk rating</b>	High
<b>Review by</b>	March 2027 (Annual review)
<b>Publication</b>	CEVN

POLICY DATABASE INFORMATION	
<b>Assigned framework</b>	Care, Safety and Welfare of Students
<b>Supporting documents</b>	See list of supporting documents and related policies above
<b>Superseded documents</b>	Anaphylaxis Policy for MACS Schools – v5.0 – 2025 Anaphylaxis Policy for MACS Schools – v4.0 – 2025 Anaphylaxis Policy for MACS Schools – v3.0 – 2023 Anaphylaxis Policy – v2.0 – 2022 Anaphylaxis Policy – v1.0 – 2021